



**FOOD EQUIPMENT**

*SERVING THE FOOD INDUSTRY SINCE 1951*

## **SANTOS #54 DRINK MIXER / ELECTRIC SHAKER**

**Item: 44634 Model: SANTOS 54**



***CREATE DELICIOUS  
BLENDED DRINKS ANYTIME!***


*Santos' #54 drink mixer / electric shaker is the ideal equipment to make milk shakes, cappuccino cream, smoothies, and ice cream drinks. This heavy duty mixer has a silent motor and a speed variation from 8,000 to 16,000 RPM.*



Authorized Dealer

# FOOD EQUIPMENT

SANTOS #54 DRINK MIXER / ELECTRIC SHAKER



## Features:

- A speed variation from 8,000 to 16,000 RPM
- Heavy duty and silent motor
- Automatic motor activation with bowl detection
- Comes with:
  - 2 bowls (0.675 L / 24 fl oz): 1 stainless steel bowl and 1 plastic bowl
  - 3 removable agitators (by simply screwing / unscrewing on the spindle):
    - » 1 universal spherical agitator for all beverages
    - » 1 rubber agitator for creamy beverages
    - » 1 winged deep agitator for frozen coffee



**OMCAN INC.**

Telephone: 1-800-465-0234

Fax: (905) 607-0234

E-mail: [sales@omcan.com](mailto:sales@omcan.com)

Website: [www.omcan.com](http://www.omcan.com)



Follow us to keep up to date with the latest news and offers



2019.E.O.E

### TECHNICAL SPECIFICATIONS

ITEM NUMBER	44634
MODEL	SANTOS 54
POWER	250W
VARIABLE SPEED	8,000 - 16,000 RPM
ELECTRICAL	120V / 60Hz / 1Ph
DIMENSIONS (WDH)	7.5" x 7.5" x 20" / 190.5 x 190.5 x 508 mm
NET WEIGHT	12.7 lbs. / 5.7 kg.
GROSS DIMENSIONS	8.5" x 9.6" x 23.5" / 215.9 x 243.84 x 596.9 mm
GROSS WEIGHT	14 lbs. / 6.3 kg.

### SAFETY | STANDARDS | HYGIENE

#### In accordance with the following regulations:

- Machinery directive 2006 / 42 / EC
- Electromagnetic compatibility 2004 / 108 / EC
- Low voltage directive 2006 / 95 / EC
- RoHS directive 2002 / 95 / EC
- Regulation 1935/2004/EC (contact with food)

#### Harmonized European standards

- EN ISO 12100-1 and 2: 2004 - EN 60204-1: 2006
- EN 60335-2-64: 2004: Commercial electric kitchen machines
- CE Europe
- NSF (USA)
- UL (USA) & cUL (Canada)

#### Electric Safety

- All mechanical parts are ground (earth) connected.
- All equipment is perfectly controlled after assembly (special electrical testing bay).
- Overload safety.

#### Thermal Safety

Motor protected by internal thermal detector and thermally disconnected from the body to protect use against heat.

#### Acoustic Safety

The universal motor is particularly silent.

#### Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water (NSF approved).

## OMCAN INC.

Telephone: 1-800-465-0234  
 Fax: (905) 607-0234  
 E-mail: sales@omcan.com  
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers

