U3 120/240V

32.4" x 21.0" x 34.5" (82.3cm x 53.3cm x 87.6cm)



- Half-batch option
- Large water tank-over 20gal
- · All stainless steel construction
- Draw off hot water during brewing cycle without affecting coffee quality
- Top mounted components for ease of service
- Unique design assures extremely low evaporation loss to maintain the brew at its flavorful peak

Agency:





Servers and airpots sold separately

Specifications

Product #: 20500.0001

Finish: Stainless
Funnel: Black Plastic
Water Access: Plumbed

Additional Features

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120/240	28	6725	No	-	310	60°F (15.5°C)	1	3	60

Plumbing Requirements

- ramenig respansione							
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-90	138-621	3/8" Male Flare Fitting	-				

CAD Drawings


2D	Revit	KLC		
•				

Created on:

08/31/2017



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	34.5 in.	32.4 in.	21.0 in.	-	-	-	100.850 lbs	18.164 ft³
Metric	87.6 cm	82.3 cm	53.3 cm	-	-	-	45.746 kgs	0.514 m³



Related Products & Accessories:U3 120/240V(20500.0001)

















Serving & Holding Options: U3 120/240V(20500.0001)











