

# ED3-72 Display Case

UL

ALTO-SHAAM

Drive foodservice profits with display cases from Alto-Shaam. LED lighting and mirrored back doors enhance food appearance and boost impulse sales. To not only look but taste great, food is held at optimal, precise temperatures with Halo Heat® technology and top ceramic heaters. Multiple access points and a removable back work shelf makes unloading and loading food effortless for employees. Reduce labor and cleaning time with removable back doors and side panels, and a lifting glass front.



ED3-72 with Legs



ED3(SYS)-72  
With Stationary Base

## Standard features

- Fanless, waterless Halo Heat technology
- Overhead LED lighting
- Adjustable thermostats 1-10 per heat zone for top and bottom heat
- Ceramic top heaters
- Operator-side work shelf and cutting board
- Sliding back doors with mirrored glass
- Tempered glass front with self-supported lifting mechanism
- Removable back doors and side glass panels
- One set of 4" [102mm] legs with rubber feet
- Five [5] pan zones to hold standard pan sizes [GN]
- Two [2] heat zones
- Two [2] heat-on indicator lights
- Four [4] long pan dividers [1002584]
- Five [5] short pan dividers [1002621]
- Fifteen [15] short pan dividers [11318]

## Configuration

- ☐ ED3-72 with 4-inch legs and rubber feet [standard]
- ☐ ED3(SYS)-72 with stationary base

## Electrical

- ☐ 208V, 50/60 Hz, 1PH
- ☐ 240V, 50/60 Hz, 1PH

## Options and Accessories

### Panel Color (select one)

- ☐ Black, standard
- ☐ Stainless steel, optional

### End Glass (select one)

- ☐ Clear glass, standard
- ☐ Solar bronze glass, optional [5011353]

### Additional

- ☐ Temperature gauge [GU-48153]
- ☐ Right-mounted scale platform [5001307]
- ☐ Left-mounted scale platform [5001308]
- ☐ Work shelf with gravy lane [5005639]
- ☐ Pan insert [4" deep] [1001990]
- ☐ 1/3 Pan cover-up bar [1008014]
- ☐ Sheet pan divider bar package [5002803]

## Extended warranty

- ☐ One-year warranty extension

Pan* Capacity			
Pan Size	Pan Dimensions		Qty.
Full-Size & One-Third**:	12" x 20" x 2-1/2"	[GN 1/1]	5
	12" x 6" x 2-1/2"	[GN 1/3]	5
Half-Size & One-Third**:	12" x 10" x 2-1/2"	[GN 1/2]	10
	12" x 6" x 2-1/2"	[GN 1/3]	5
Full-Size Sheet Pans:	18" x 26" x 1"		3
Max. Capacity/Volume:	80 lbs [36 kg]	50 qts [60 L]	
* Pans are not included with display case. ** Will also accept 4" [100mm] deep pans.			




# ED3-72 Display Case



## DIMENSIONS

### ED3-72 with Legs



Model	Exterior (H x W x D)	Well (W x L x D)	Net Weight
ED3-72	30-3/16" x 72-5/16" x 43-13/16" [767mm x 1836mm x 1113mm]	27-1/4" x 69-5/16" x 4-1/2" [692mm x 1761mm x 114mm]	419 lb [190 kg]
Legs			
Ship Dimensions (H x W x D)*	Ship Weight*		
45" x 85" x 55" [1143mm x 2159mm x 1397mm]	465 lb [210 kg]		

\*Domestic ground shipping information. Contact factory for export weight and dimensions.


ALTO-SHAAM.

### ED3(SYS)-72 with Stationary Base



\*Domestic ground shipping information. Contact factory for export weight and dimensions.

## ED3 Pan Configurations



### REQUIREMENTS

#### Installation Requirements

- The display case must be installed level.
- The display case must not be installed in any area where it may be affected by steam, grease, dripping water, high temperatures, or any other severely adverse conditions.
- Do not install a heated display case near a cold air source such as a freezer, air conditioning vents, or in any area where outside air fluctuation can affect performance.



### 72 Series

ED3-72 With feet	V	Ph	Hz	AWG* minimum	A	Breaker minimum	kW	Connection
	208	1	50/60	14	15.0	19A	3.11	6ft; NEMA 6-30
	240	1	50/60	14	17.2	22A	4.14	6ft; NEMA 6-30

\*Recommended minimum conductor sized at 90°C and ambient 30°C.  
Electrical connections must meet all applicable federal, state, and local codes.

ED3-72 With base	V	Ph	Hz	AWG* minimum	A	Breaker minimum	kW	Connection
	208	1	50/60	14	15.0	19A	3.11	Cord, no plug
	240	1	50/60	14	17.2	22A	4.14	Cord, no plug

\*Recommended minimum conductor sized at 90°C and ambient 30°C.  
Electrical connections must meet all applicable federal, state, and local codes.

## CONTACT US

W164 N9221 Water Street | Menomonee Falls, Wisconsin 53051 | U.S.A.  
Phone: 262.251.3800 | 800.558.8744 U.S.A./Canada | Fax: 262.251.7067 | [alto-shaam.com](http://alto-shaam.com)