



SERVING THE FOOD INDUSTRY SINCE 1951

SOLID DOOR BOTTLE KEG COOLERS WITH BEER DISPENSERS

 Item:
 50066 (Model: BD-CN-0007-HC)
 Item:
 50067 (Model: BD-CN-0019-HC)
 Item:
 50068 (Model: BD-CN-0023-HC)

 Item:
 50064 (Model: BB-CN-0016-DH)
 Item:
 50065 (Model: BB-CN-0020-DH)

Item: 50069 (Model: BD-CN-0032-HC)



















BEER DISPENSERS WITH SINGLE DOOR AND 1 SPOUT









Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290




Stainless steel top tray cover



Optional order (Item 44224): Double tap tower



Thermometer



Mechanical temperature controller

TECHNICAL SPECIFICATION	
ITEM NUMBER	50066
MODEL	BD-CN-0007-HC
COMPRESSOR HP	1/6+ HP
PRODUCT CAPACITY	One 1/2 barrel
NUMBER OF DOORS	1
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F
CAPACITY	6.5 cu. ft.
NUMBER OF SHELVES	N/A

REFRIGERANT	R290
ELECTRICAL	115V / 60Hz / 1Ph
AMPS	1.92A
OVERALL DIMENSIONS (DWH)	30.8" x 23.5" x 51.5"/ 782 x 596 x 1308 mm
INTERIOR DIMENSIONS	19.5" x 18" x 28.9" / 496 x 457.2 x 734.06 mm
PACKAGING DIMENSIONS	25.2" x 32" x 48" / 640 x 815 x 1220 mm
WEIGHT	70 kg/ 154 lbs
PACKAGING WEIGHT	80 kg/ 176 lbs











OMCAN INC.

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com





Follow us to keep up to date with the latest news and offers












BEER DISPENSERS WITH DOUBLE DOOR AND 1 SPOUT









Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290



Stainless steel top tray cover



Optional order (Item 44224): Double tap tower





REFRIGERANT

ELECTRICAL

AMPS

OVERALL DIMENSIONS

(DWH)
INTERIOR DIMENSIONS

PACKAGING DIMENSIONS

WEIGHT

PACKAGING WEIGHT



Mechanical temperature controller

R290

115V / 60Hz / 1Ph

ЗА

24.4" x 48.8" x 51.5" / 620 x1240 x 1308 mm

36.25" x 18.5" x 29" / 920 x 470 x 736.6 mm

27" x 63" x 42" / 685.8 x 1600.2 x 1066.8 mm

98 kg. / 216 lbs.

114.7 kg. / 319 lbs.

TECHNICAL SPECIFICATION		
ITEM NUMBER	50063	
MODEL	BB-CN-0012-DH	
COMPRESSOR HP	1/5 HP	
PRODUCT CAPACITY	Two 1/2 barrels	
NUMBER OF DOORS	2	
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F	
CAPACITY	11.8 cu. ft. / 335 L	
NUMBER OF SHELVES	4	













OMCAN INC.



















BEER DISPENSERS WITH DOUBLE DOOR **AND 1 SPOUT**









Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290







Stainless steel top tray cover

Optional order (Item 44224): Double tap tower





Shelf

Mechanical temperature controller

TECHNICAL SPECIFICATION		
50067		
BD-CN-0019-HC		
1/5 HP		
Two 1/2 barrels		
2		
0.5 - 5 °C / 33 - 41 °F		
19.3 cu.ft. /546.5 L		
4		

REFRIGERANT	R290
ELECTRICAL	115V / 60Hz / 1Ph
AMPS	2.88A
OVERALL DIMENSIONS (DWH)	58.8" x 27.7" x 45.5" / 1494 x 704 x 1155.7 mm
INTERIOR DIMENSIONS	46" x 22" x 29" / 1170 x 558.8 x 736.6 mm
PACKAGING DIMENSIONS	61.3" x 30.5" x 42" / 1557.02 x 775 x 1066.8 mm
WEIGHT	127 kg. / 279 lbs.
PACKAGING WEIGHT	142 kg. / 312 lbs.













OMCAN INC.
















BEER DISPENSERS WITH DOUBLE DOOR AND 2 SPOUTS







Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290



Stainless steel top tray cover



Optional order (Item 44224): Double tap tower




Shelf



Mechanical temperature controller

TECHNICAL SPECIFICAT	TION		
ITEM NUMBER	50064	REFRIGERANT	R290
MODEL	BB-CN-0016-DH	ELECTRICAL	115V / 60Hz / 1Ph
COMPRESSOR HP	1/5 HP	AMPS	3A
PRODUCT CAPACITY	Two 1/2 barrels	OVERALL DIMENSIONS (DWH)	60.8" x 24.4" x 51.5" / 1544 x 620 x 1308 mm
NUMBER OF DOORS	2	INTERIOR DIMENSIONS	48" x 18.5" x 29" / 1219.2 x 470 x 736.6 mm
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F	PACKAGING DIMENSIONS	63" x 27" x 42" / 1600.2 x 685.8 x 1066.8 mm
CAPACITY	15.8 cu. ft. / 446 L	WEIGHT	116 kg. / 255 lbs.
NUMBER OF SHELVES	4	PACKAGING WEIGHT	144.7 kg. / 319 lbs.















Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com





Follow us to keep up to date with the latest news and offers











BEER DISPENSERS WITH DOUBLE DOOR AND 2 SPOUTS





Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290





Stainless steel top tray cover

Optional order (Item 44224): Double tap tower





Shelf

Mechanical temperature controller

TECHNICAL SPECIFICATION		
ITEM NUMBER	50068	
MODEL	BD-CN-0023-HC	
COMPRESSOR HP	1/5 HP	
PRODUCT CAPACITY	Three 1/2 barrels	
NUMBER OF DOORS	2	
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F	
CAPACITY	23.3 cu.ft. / 659.7L	
NUMBER OF SHELVES	4	

69"

28.9" -

REFRIGERANT	R290
ELECTRICAL	115V / 60Hz / 1Ph
AMPS	3.6A
OVERALL DIMENSIONS (DWH)	27.8" x 69" x 48.4" / 705 x 1755 x 905 mm
INTERIOR DIMENSIONS	56.5" x 21.8" x 29" / 1442.72 x 555 x 735 mm
PACKAGING DIMENSIONS	30" x 71" x 41" / 762 x 1803.4 x 1041.4 mm
WEIGHT	148 kg. / 326 lbs.
PACKAGING WEIGHT	148.3 kg. / 367 lbs.







27







OMCAN INC.
















BEER DISPENSERS WITH TRIPLE DOOR AND 2 SPOUTS







Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- · Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290



Stainless steel top tray cover



Optional order (Item 44224): Double tap tower



Shelf

REFRIGERANT

ELECTRICAL

AMPS

OVERALL DIMENSIONS (DWH)

INTERIOR DIMENSIONS

PACKAGING DIMENSIONS

WEIGHT

PACKAGING WEIGHT



Mechanical temperature controller

R290

115V / 60Hz / 1Ph

4A

24.4" x 72.8" x 51.5" / 620 x 1848 x 1308 mm

60.2" x 18.5" x 29" /1529 x 470 x 736.6 mm

27" x 75" x 42" / 685.8 x 1905 x 1066.8 mm

141 kg. / 310 lbs.

175 kg. / 385 lbs.

TECHNICAL SPECIFICATION	
ITEM NUMBER	50065
MODEL	BB-CN-0020-DH
COMPRESSOR HP	1/4+
PRODUCT CAPACITY	Three 1/2 barrels
NUMBER OF DOORS	3
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F
CAPACITY	19.6 cu. ft. / 556 L
NUMBER OF SHELVES	6

NEMA 5 - 15 125 VAC / 15 AMP	5 - 15 (" 0)	































BEER DISPENSERS WITH TRIPLE DOOR AND 2 SPOUTS









Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290



Stainless steel top tray cover

Optional order (Item 44224): Double tap tower





Shelf

Mechanical temperature controller

TECHNICAL SPECIFICATION		
ITEM NUMBER	50069	
MODEL	BD-CN-0032-HC	
COMPRESSOR HP	1/4+	
PRODUCT CAPACITY	Four 1/2 barrels	
NUMBER OF DOORS	3	
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F	
CAPACITY	32 cu.ft. / 916 L	
NUMBER OF SHELVES	6	

REFRIGERANT	R290
ELECTRICAL	110V / 60Hz / 1Ph
AMPS	4.7A
OVERALL DIMENSIONS (DWH)	27.7" x 90.4" x 48.4" / 705 x 2295 x 1229.4 mm
INTERIOR DIMENSIONS	77.5" x 21.8" x 29" / 1970 x 555 x 735 mm
PACKAGING DIMENSIONS	31" x 92" x 43" / 787.4 x 2336.8 x 1092.2 mm
WEIGHT	170 kg. / 374 lbs.
PACKAGING WEIGHT	180.5 kg. / 398 lbs.













OMCAN INC.













