### MHG SST (60Hz)

Height: 29.1" Width: 9.4" Depth: 18.6" (73.9cm) (23.9cm) (47.2cm)



- BUNN BrewWISE wireless functionality assures error free operation: Intelligent Smart Hoppers communicate the type of coffee being used to the grinder
- The MHG references the specific grind time for the coffee batch to be brewed, and communicates the coffee name and selected batch size to the Smart Funnel during the grinding process
- The BUNN BrewWISE brewer reads the information in the Smart Funnel, adjusts the recipe, and brews a perfect batch of coffee
- LCD alphanumeric display shows coffee names, programming parameters and diagnostics
- USB port for easy programming
- Easy-to-use front-loading bean hoppers allow quick access for coffee change-outs, bean replenishment, and cleaning
- Compatible with both BUNN BrewWise and non-BrewWISE brewers, as well as other makes of batch brewers of up to 1.5 gallons capacity
- Optional hopper storage racks display your selection of whole bean coffees to promote your fresh ground coffee program: an optional lock for lids (sold separately) prevents tampering in self-service applications
- Precision grinding burrs for consistent, quality grind
- PROP 65 Warning Decal included in packaging with equipment

#### Agency:





#### **Specifications**

Interface: Wireless
Finish: Stainless
Hoppers: Two

**Product #:** 35600.0020 **Hopper Capacity:** 6.00 lbs (2.722 kgs)

Additional Features

BrewWISE

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	11	1320	Yes	NEMA 5-15P	-	60°F (15.5°C)	1	2	60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

#### Plumbing Requirements


PSI kPa		Fitting Supplied	Water Flow Required (GPM)		
-	-	-	-		


# CAD Drawings


2D	Revit	KLC
•		

WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov









Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	29.1 in.	9.4 in.	18.6 in.	36.5 in.	13.4 in.	23.8 in.	70.700 lbs	6.710 ft <sup>3</sup>
Metric	73.9 cm	23.9 cm	47.2 cm	92.7 cm	34.0 cm	60.3 cm	32.070 kgs	0.190 m³



## Related Products & Accessories: MHG SST (60Hz)(35600.0020)



BURR SET KIT, NEW

Product #: 05861.1002



DECHAFFER PLATE, SPRING STEEL

Product #: 05995.0000



BURR SET KIT, TURKISH **GRIND** 

Product #: 11285.1000



Product #: 29734.0000

CARD ASSY, RECIPE TRANSFER (BRW)

Product #: 34447.0016



COVER, REMOVABLE HOPPER ORANGE

Product #: 35771.0002



HOPPER RACK, MHG 2 **POSITION** 

Product #: 36760.0000



HOPPER RACK, MHG 4 **POSITION** 

Product #: 36760.0001



HOPPER/LID ASSY, MHG

Product #: 36845.0000



**GRINDZ** 

Product #: 39159.0000

CLEANER, GRINDER **GRINDZ 12/CAS** 

Product #: 39159.0001



Serving & Holding Options: MHG SST (60Hz)(35600.0020)
*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.*

