

ITB

35.0" x 21.8" x 11.6"
(88.9cm x 55.4cm x 29.5cm)



- Sleek, modernized design language on the brewer, with rounded angles on the corners and trunk
- Digital readout displays in English, Spanish, or French ---for easier programming and control--- and can show either 'Standard' or Metric measurements. Digital readout also shows machine status, and targeted advertising messages can be programmed for display.
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Easy pulse display allows for simplified programming of pulse routine
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 7-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Includes overlay kit for customization of brewer interface

Agency:



Specifications

Product #: 52000.0100

Water Access: Plumbed

Finish: Stainless

Funnel: Translucent Tea Funnel

Additional Features

Funnel Locks

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	336	60°F (15.5°C)	1	2	60

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	1.25


CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
08/09/2018



Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	11.6 in.	35.0 in.	21.8 in.	13.0 in. in.	37.0 in. in.	27.5 in. in.	41.500 lbs	7.655 ft³
Metric	29.5 cm	88.9 cm	55.4 cm	33.0 cm cm	94.0 cm cm	69.9 cm cm	18.824 kgs	0.217 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
08/09/2018

Related Products & Accessories:ITB(52000.0100)



FILTERS TEA/SYS2
500PK/1 50/CL

Product #: 20100.0000



WATER FILTER, EQHP-
TEA

Product #: 39000.0007



CARTRIDGE, EQHP-
TEACRTG

Product #: 39000.1007



Serving & Holding Options: ITB(52000.0100)

 TD4T, BREW THRU LID NO DECAL NUDGER HDL Product #:03250.0018	 TD4T, W/ LIFT HANDLE Product #:03250.0042	 TD4T, W/BREW THRU LID & LIFT HANDLE Product #:03250.0043	 TDS-3, 3 GAL Product #:33000.0000	 TDS-3.5, 3.5 GAL Product #:33000.0023
 TDO-4, RESERVOIR Product #:34100.0000	 TDO-5, RESERVOIR Product #:34100.0001	 TDO-4, RESERVOIR BREW THRU Product #:34100.0002	 TDO-5, RESERVOIR, BREW THRU Product #:34100.0003	 TDO-N-3.5, RSVR Product #:39600.0001
 TDO-N-4.0, RSVR BUNN Product #:39600.0002	 TDO-N-3.5, RSVR W/ LIFT HANDLE Product #:39600.0031	 TDO-N-3.5, RSVR W/ PINCH TUBE Product #:39600.0047	 TD3T-N, RSVR BREW THRU LID BUNN Product #:43900.0001	 TD3T-N, RSVR SOLID LID BUNN Product #:43900.0002

